Differences between CNC02 and CNC01:

*CNC02-Continuously-Working Thermal Cutter is designed for continuously working with air cooling system, while CNC01-Intermittently-Working is only for short time working, you need to release the button intermittently for cooling after short time heating in case itself gets too hot.

*CNC02-Continuously-Working is able to trim the edges with minimum of smoke and no burned marks.

*CNC02-Continuously-Working is lighter ,only 610g, easier to handle, while CNC01 is 950g.

*CNC02-Continuously-Working is available for high point temperature adjustment, 16 sections of temp to set. So you don't need to let the blades going up to 500C degrees each time you use it, you may only set the lower temperature(for example about 300C degrees) only if it's high enough for you to trim interlayer remains, so you can prolong the life time of the blades, and save cost.

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365 www_cncGlass_com www_cncEVA_com

Edges Cleaning hot knife for SGP PVB laminated safety glass Hand operated tool for cutting small quantities, for short-time operation only. To cut and seal synthetic fiber products, such as ropes, bands, belts and fabric. Fitted with cutting foot, the combined tool is especially effective for cutting synthetic fabric without cutting surface. Controlling heating by switching the toll on and off

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365

Hot Knife Electric Rope Cutter Cautions Always operate the Hot Knife in well ventilated space. Never burn off the excess residue on the Hot Knife blade. The blades will over heated and be warped. Only operate Hot Knife when it is in contact with the insulation board Keep hot blades away from skin, clothing and other flammable materials. Allow blades to cool before handling. Hot Knife may cause injury or burns to exposed surfaces. If the temperature inside the tool is too high, the unit will get hot and the internal thermal protectors will turn it off, after it cool, the Hot Knife will operate again.

Differences between CNC02 and CNC01:

*CNC02-Continuously-Working Thermal Cutter is designed for continuously working with air cooling system, while CNC01-Intermittently-Working is only for short time working, you need to release the button intermittently for cooling after short time heating in case itself gets too hot.

*CNC02-Continuously-Working is able to trim the edges with minimum of smoke and no burned marks.

*CNC02-Continuously-Working is lighter ,only 610g, easier to handle, while CNC01 is 950g.

*CNC02-Continuously-Working is available for high point temperature adjustment, 16 sections of temp to set. So you don't need to let the blades going up to 500C degrees each time you use it, you may only set the lower temperature(for example about 300C degrees) only if it's high enough for you to trim interlayer remains, so you can prolong the life time of the blades, and save cost.

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365 www_cncGlass_com www_cncEVA_com

Edges Cleaning hot knife for SGP PVB laminated safety glass Hand operated tool for cutting small quantities, for short-time operation only. To cut and seal synthetic fiber products, such as ropes, bands, belts and fabric. Fitted with cutting foot, the combined tool is especially effective for cutting synthetic fabric without cutting surface. Controlling heating by switching the toll on and off

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365

Hot Knife Electric Rope Cutter Cautions Always operate the Hot Knife in well ventilated space. Never burn off the excess residue on the Hot Knife blade. The blades will over heated and be warped. Only operate Hot Knife when it is in contact with the insulation board Keep hot blades away from skin, clothing and other flammable materials. Allow blades to cool before handling. Hot Knife may cause injury or burns to exposed surfaces. If the temperature inside the tool is too high, the unit will get hot and the internal thermal protectors will turn it off, after it cool, the Hot Knife will operate again.

Differences between CNC02 and CNC01:

*CNC02-Continuously-Working Thermal Cutter is designed for continuously working with air cooling system, while CNC01-Intermittently-Working is only for short time working, you need to release the button intermittently for cooling after short time heating in case itself gets too hot.

*CNC02-Continuously-Working is able to trim the edges with minimum of smoke and no burned marks.

*CNC02-Continuously-Working is lighter ,only 610g, easier to handle, while CNC01 is 950g.

*CNC02-Continuously-Working is available for high point temperature adjustment, 16 sections of temp to set. So you don't need to let the blades going up to 500C degrees each time you use it, you may only set the lower temperature(for example about 300C degrees) only if it's high enough for you to trim interlayer remains, so you can prolong the life time of the blades, and save cost.

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365 www_cncGlass_com www_cncEVA_com

Edges Cleaning hot knife for SGP PVB laminated safety glass Hand operated tool for cutting small quantities, for short-time operation only. To cut and seal synthetic fiber products, such as ropes, bands, belts and fabric. Fitted with cutting foot, the combined tool is especially effective for cutting synthetic fabric without cutting surface. Controlling heating by switching the toll on and off

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365

Hot Knife Electric Rope Cutter Cautions Always operate the Hot Knife in well ventilated space. Never burn off the excess residue on the Hot Knife blade. The blades will over heated and be warped. Only operate Hot Knife when it is in contact with the insulation board Keep hot blades away from skin, clothing and other flammable materials. Allow blades to cool before handling. Hot Knife may cause injury or burns to exposed surfaces. If the temperature inside the tool is too high, the unit will get hot and the internal thermal protectors will turn it off, after it cool, the Hot Knife will operate again.

thermal cutter, hot price, heating cutter, heating knife, heating trimmer for eva poly sop lamination. Ceter Lin, cnc@cncGlass.com, Ceter Lin, cnc@cncGlass.com, Matsapp: 0.98 t. 10.138.29.00 Watsapp: 0.98 t. 10.138.29.000 Watsapp: 0.98 t. 10.138.29.000 Watsapp: 0.98 t. 10.138.29.000 Watsapp: 0.98 t. 10.138.29.000 Watsapp: 0.98 t. 10.1

Differences between CNC02 and CNC01:

*CNC02-Continuously-Working Thermal Cutter is designed for continuously working with air cooling system, while CNC01-Intermittently-Working is only for short time working, you need to release the button intermittently for cooling after short time heating in case itself gets too hot.

*CNC02-Continuously-Working is able to trim the edges with minimum of smoke and no burned marks.

*CNC02-Continuously-Working is lighter ,only 610g, easier to handle, while CNC01 is 950g.

*CNC02-Continuously-Working is available for high point temperature adjustment, 16 sections of temp to set. So you don't need to let the blades going up to 500C degrees each time you use it, you may only set the lower temperature(for example about 300C degrees) only if it's high enough for you to trim interlayer remains, so you can prolong the life time of the blades, and save cost.

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365 www_cncGlass_com www_cncEVA_com

Edges Cleaning hot knife for SGP PVB laminated safety glass Hand operated tool for cutting small quantities, for short-time operation only. To cut and seal synthetic fiber products, such as ropes, bands, belts and fabric. Fitted with cutting foot, the combined tool is especially effective for cutting synthetic fabric without cutting surface. Controlling heating by switching the toll on and off

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365

Hot Knife Electric Rope Cutter Cautions Always operate the Hot Knife in well ventilated space. Never burn off the excess residue on the Hot Knife blade. The blades will over heated and be warped. Only operate Hot Knife when it is in contact with the insulation board Keep hot blades away from skin, clothing and other flammable materials. Allow blades to cool before handling. Hot Knife may cause injury or burns to exposed surfaces. If the temperature inside the tool is too high, the unit will get hot and the internal thermal protectors will turn it off, after it cool, the Hot Knife will operate again.

thermal cutter, hot price, heating cutter, heating knife, heating trimmer for eva poly splamination. Ceter Lin, cnc@cncGlass.com, Coter Lin, cnc@cncGlass.com, Matsapp: 0.8s, 15013829504, We chat: We cat 25 www.encGlass.com, www.cncEVA_com

Differences between CNC02 and CNC01:

*CNC02-Continuously-Working Thermal Cutter is designed for continuously working with air cooling system, while CNC01-Intermittently-Working is only for short time working, you need to release the button intermittently for cooling after short time heating in case itself gets too hot.

*CNC02-Continuously-Working is able to trim the edges with minimum of smoke and no burned marks.

*CNC02-Continuously-Working is lighter ,only 610g, easier to handle, while CNC01 is 950g.

*CNC02-Continuously-Working is available for high point temperature adjustment, 16 sections of temp to set. So you don't need to let the blades going up to 500C degrees each time you use it, you may only set the lower temperature(for example about 300C degrees) only if it's high enough for you to trim interlayer remains, so you can prolong the life time of the blades, and save cost.

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365 www_cncGlass_com www_cncEVA_com

Edges Cleaning hot knife for SGP PVB laminated safety glass Hand operated tool for cutting small quantities, for short-time operation only. To cut and seal synthetic fiber products, such as ropes, bands, belts and fabric. Fitted with cutting foot, the combined tool is especially effective for cutting synthetic fabric without cutting surface. Controlling heating by switching the toll on and off

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365

Hot Knife Electric Rope Cutter Cautions Always operate the Hot Knife in well ventilated space. Never burn off the excess residue on the Hot Knife blade. The blades will over heated and be warped. Only operate Hot Knife when it is in contact with the insulation board Keep hot blades away from skin, clothing and other flammable materials. Allow blades to cool before handling. Hot Knife may cause injury or burns to exposed surfaces. If the temperature inside the tool is too high, the unit will get hot and the internal thermal protectors will turn it off, after it cool, the Hot Knife will operate again.

the mal cutter, hot price, heating cutter, heating knife, heating trimmer for eva pto sgp lamination. Ceter Lin, cnc@cncGlass.com, Cheter Lin, cnc@cncGlass.com, Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013829504, Weter trimer for eva pto sgp lamination. Matsapp: 0.86, 15013820, 15013820, 15013820, 15013820, 15013820, 15013820, 15013820, 15013820, 15013820, 15013820, 15013820, 15013820, 15013820, 15013820, 15013

Differences between CNC02 and CNC01:

*CNC02-Continuously-Working Thermal Cutter is designed for continuously working with air cooling system, while CNC01-Intermittently-Working is only for short time working, you need to release the button intermittently for cooling after short time heating in case itself gets too hot.

*CNC02-Continuously-Working is able to trim the edges with minimum of smoke and no burned marks.

*CNC02-Continuously-Working is lighter ,only 610g, easier to handle, while CNC01 is 950g.

*CNC02-Continuously-Working is available for high point temperature adjustment, 16 sections of temp to set. So you don't need to let the blades going up to 500C degrees each time you use it, you may only set the lower temperature(for example about 300C degrees) only if it's high enough for you to trim interlayer remains, so you can prolong the life time of the blades, and save cost.

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365 www_cncGlass_com www_cncEVA_com

Edges Cleaning hot knife for SGP PVB laminated safety glass Hand operated tool for cutting small quantities, for short-time operation only. To cut and seal synthetic fiber products, such as ropes, bands, belts and fabric. Fitted with cutting foot, the combined tool is especially effective for cutting synthetic fabric without cutting surface. Controlling heating by switching the toll on and off

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365

Hot Knife Electric Rope Cutter Cautions Always operate the Hot Knife in well ventilated space. Never burn off the excess residue on the Hot Knife blade. The blades will over heated and be warped. Only operate Hot Knife when it is in contact with the insulation board Keep hot blades away from skin, clothing and other flammable materials. Allow blades to cool before handling. Hot Knife may cause injury or burns to exposed surfaces. If the temperature inside the tool is too high, the unit will get hot and the internal thermal protectors will turn it off, after it cool, the Hot Knife will operate again.

thermal cutter, hot price, heating cutter, heating knife, heating trimmer for eva pob sgp lamination. Peter Lin, cnc@cncGlass.com, Cnc@cncEVA.com Hatsapp: 0.98 t. 50.138.29.50. We chat: We cat b to more and the complete state of the complete state state of the complete state of the complete state state of t

Differences between CNC02 and CNC01:

*CNC02-Continuously-Working Thermal Cutter is designed for continuously working with air cooling system, while CNC01-Intermittently-Working is only for short time working, you need to release the button intermittently for cooling after short time heating in case itself gets too hot.

*CNC02-Continuously-Working is able to trim the edges with minimum of smoke and no burned marks.

*CNC02-Continuously-Working is lighter ,only 610g, easier to handle, while CNC01 is 950g.

*CNC02-Continuously-Working is available for high point temperature adjustment, 16 sections of temp to set. So you don't need to let the blades going up to 500C degrees each time you use it, you may only set the lower temperature(for example about 300C degrees) only if it's high enough for you to trim interlayer remains, so you can prolong the life time of the blades, and save cost.

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365 www_cncGlass_com www_cncEVA_com

Edges Cleaning hot knife for SGP PVB laminated safety glass Hand operated tool for cutting small quantities, for short-time operation only. To cut and seal synthetic fiber products, such as ropes, bands, belts and fabric. Fitted with cutting foot, the combined tool is especially effective for cutting synthetic fabric without cutting surface. Controlling heating by switching the toll on and off

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365

Hot Knife Electric Rope Cutter Cautions Always operate the Hot Knife in well ventilated space. Never burn off the excess residue on the Hot Knife blade. The blades will over heated and be warped. Only operate Hot Knife when it is in contact with the insulation board Keep hot blades away from skin, clothing and other flammable materials. Allow blades to cool before handling. Hot Knife may cause injury or burns to exposed surfaces. If the temperature inside the tool is too high, the unit will get hot and the internal thermal protectors will turn it off, after it cool, the Hot Knife will operate again.

thermal cutter, hot price, heating cutter, heating knife, heating trimmer for eve pto sgp lamination. Ceter Lin, cnc@cncGlass.com, Ceter Lin, cnc@cncGlass.com, Matsapp: 0.98 t. 10.138.29.04. We chat: We cat to 5 www.encGlass.com, www.cncEVA_com

Differences between CNC02 and CNC01:

*CNC02-Continuously-Working Thermal Cutter is designed for continuously working with air cooling system, while CNC01-Intermittently-Working is only for short time working, you need to release the button intermittently for cooling after short time heating in case itself gets too hot.

*CNC02-Continuously-Working is able to trim the edges with minimum of smoke and no burned marks.

*CNC02-Continuously-Working is lighter ,only 610g, easier to handle, while CNC01 is 950g.

*CNC02-Continuously-Working is available for high point temperature adjustment, 16 sections of temp to set. So you don't need to let the blades going up to 500C degrees each time you use it, you may only set the lower temperature(for example about 300C degrees) only if it's high enough for you to trim interlayer remains, so you can prolong the life time of the blades, and save cost.

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365 www_cncGlass_com www_cncEVA_com

Edges Cleaning hot knife for SGP PVB laminated safety glass Hand operated tool for cutting small quantities, for short-time operation only. To cut and seal synthetic fiber products, such as ropes, bands, belts and fabric. Fitted with cutting foot, the combined tool is especially effective for cutting synthetic fabric without cutting surface. Controlling heating by switching the toll on and off

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365

Hot Knife Electric Rope Cutter Cautions Always operate the Hot Knife in well ventilated space. Never burn off the excess residue on the Hot Knife blade. The blades will over heated and be warped. Only operate Hot Knife when it is in contact with the insulation board Keep hot blades away from skin, clothing and other flammable materials. Allow blades to cool before handling. Hot Knife may cause injury or burns to exposed surfaces. If the temperature inside the tool is too high, the unit will get hot and the internal thermal protectors will turn it off, after it cool, the Hot Knife will operate again.



Differences between CNC02 and CNC01:

*CNC02-Continuously-Working Thermal Cutter is designed for continuously working with air cooling system, while CNC01-Intermittently-Working is only for short time working, you need to release the button intermittently for cooling after short time heating in case itself gets too hot.

*CNC02-Continuously-Working is able to trim the edges with minimum of smoke and no burned marks.

*CNC02-Continuously-Working is lighter ,only 610g, easier to handle, while CNC01 is 950g.

*CNC02-Continuously-Working is available for high point temperature adjustment, 16 sections of temp to set. So you don't need to let the blades going up to 500C degrees each time you use it, you may only set the lower temperature(for example about 300C degrees) only if it's high enough for you to trim interlayer remains, so you can prolong the life time of the blades, and save cost.

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365 www_cncGlass_com www_cncEVA_com

Edges Cleaning hot knife for SGP PVB laminated safety glass Hand operated tool for cutting small quantities, for short-time operation only. To cut and seal synthetic fiber products, such as ropes, bands, belts and fabric. Fitted with cutting foot, the combined tool is especially effective for cutting synthetic fabric without cutting surface. Controlling heating by switching the toll on and off

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365

Hot Knife Electric Rope Cutter Cautions Always operate the Hot Knife in well ventilated space. Never burn off the excess residue on the Hot Knife blade. The blades will over heated and be warped. Only operate Hot Knife when it is in contact with the insulation board Keep hot blades away from skin, clothing and other flammable materials. Allow blades to cool before handling. Hot Knife may cause injury or burns to exposed surfaces. If the temperature inside the tool is too high, the unit will get hot and the internal thermal protectors will turn it off, after it cool, the Hot Knife will operate again.

thermal cutter, hot price, heating cutter, heating knife, heating trimmer for eva ptb sgp lamination. Ceter Lin, cnc@cncGlass.com, Cheter Lin, cnc@cncGlass.com, Ceter Lin, cncGlass.com, Ceter L

Differences between CNC02 and CNC01:

*CNC02-Continuously-Working Thermal Cutter is designed for continuously working with air cooling system, while CNC01-Intermittently-Working is only for short time working, you need to release the button intermittently for cooling after short time heating in case itself gets too hot.

*CNC02-Continuously-Working is able to trim the edges with minimum of smoke and no burned marks.

*CNC02-Continuously-Working is lighter ,only 610g, easier to handle, while CNC01 is 950g.

*CNC02-Continuously-Working is available for high point temperature adjustment, 16 sections of temp to set. So you don't need to let the blades going up to 500C degrees each time you use it, you may only set the lower temperature(for example about 300C degrees) only if it's high enough for you to trim interlayer remains, so you can prolong the life time of the blades, and save cost.

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365 www_cncGlass_com www_cncEVA_com

Edges Cleaning hot knife for SGP PVB laminated safety glass Hand operated tool for cutting small quantities, for short-time operation only. To cut and seal synthetic fiber products, such as ropes, bands, belts and fabric. Fitted with cutting foot, the combined tool is especially effective for cutting synthetic fabric without cutting surface. Controlling heating by switching the toll on and off

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365

Hot Knife Electric Rope Cutter Cautions Always operate the Hot Knife in well ventilated space. Never burn off the excess residue on the Hot Knife blade. The blades will over heated and be warped. Only operate Hot Knife when it is in contact with the insulation board Keep hot blades away from skin, clothing and other flammable materials. Allow blades to cool before handling. Hot Knife may cause injury or burns to exposed surfaces. If the temperature inside the tool is too high, the unit will get hot and the internal thermal protectors will turn it off, after it cool, the Hot Knife will operate again.



Differences between CNC02 and CNC01:

*CNC02-Continuously-Working Thermal Cutter is designed for continuously working with air cooling system, while CNC01-Intermittently-Working is only for short time working, you need to release the button intermittently for cooling after short time heating in case itself gets too hot.

*CNC02-Continuously-Working is able to trim the edges with minimum of smoke and no burned marks.

*CNC02-Continuously-Working is lighter ,only 610g, easier to handle, while CNC01 is 950g.

*CNC02-Continuously-Working is available for high point temperature adjustment, 16 sections of temp to set. So you don't need to let the blades going up to 500C degrees each time you use it, you may only set the lower temperature(for example about 300C degrees) only if it's high enough for you to trim interlayer remains, so you can prolong the life time of the blades, and save cost.

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365 www_cncGlass_com www_cncEVA_com

Edges Cleaning hot knife for SGP PVB laminated safety glass Hand operated tool for cutting small quantities, for short-time operation only. To cut and seal synthetic fiber products, such as ropes, bands, belts and fabric. Fitted with cutting foot, the combined tool is especially effective for cutting synthetic fabric without cutting surface. Controlling heating by switching the toll on and off

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365

Hot Knife Electric Rope Cutter Cautions Always operate the Hot Knife in well ventilated space. Never burn off the excess residue on the Hot Knife blade. The blades will over heated and be warped. Only operate Hot Knife when it is in contact with the insulation board Keep hot blades away from skin, clothing and other flammable materials. Allow blades to cool before handling. Hot Knife may cause injury or burns to exposed surfaces. If the temperature inside the tool is too high, the unit will get hot and the internal thermal protectors will turn it off, after it cool, the Hot Knife will operate again.

thermal cutter, hot price, heating cutter, heating knife, heating trimmer for eva pto sgp lamination. Ceter Lin, cnc@cncGlass.com, Cheter Lin, cnc@cncGlass.com, Ceter Lin, cncGlass.com, Ceter Lin, cncGlass.

Differences between CNC02 and CNC01:

*CNC02-Continuously-Working Thermal Cutter is designed for continuously working with air cooling system, while CNC01-Intermittently-Working is only for short time working, you need to release the button intermittently for cooling after short time heating in case itself gets too hot.

*CNC02-Continuously-Working is able to trim the edges with minimum of smoke and no burned marks.

*CNC02-Continuously-Working is lighter ,only 610g, easier to handle, while CNC01 is 950g.

*CNC02-Continuously-Working is available for high point temperature adjustment, 16 sections of temp to set. So you don't need to let the blades going up to 500C degrees each time you use it, you may only set the lower temperature(for example about 300C degrees) only if it's high enough for you to trim interlayer remains, so you can prolong the life time of the blades, and save cost.

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365 www_cncGlass_com www_cncEVA_com

Edges Cleaning hot knife for SGP PVB laminated safety glass Hand operated tool for cutting small quantities, for short-time operation only. To cut and seal synthetic fiber products, such as ropes, bands, belts and fabric. Fitted with cutting foot, the combined tool is especially effective for cutting synthetic fabric without cutting surface. Controlling heating by switching the toll on and off

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365

Hot Knife Electric Rope Cutter Cautions Always operate the Hot Knife in well ventilated space. Never burn off the excess residue on the Hot Knife blade. The blades will over heated and be warped. Only operate Hot Knife when it is in contact with the insulation board Keep hot blades away from skin, clothing and other flammable materials. Allow blades to cool before handling. Hot Knife may cause injury or burns to exposed surfaces. If the temperature inside the tool is too high, the unit will get hot and the internal thermal protectors will turn it off, after it cool, the Hot Knife will operate again.



Differences between CNC02 and CNC01:

*CNC02-Continuously-Working Thermal Cutter is designed for continuously working with air cooling system, while CNC01-Intermittently-Working is only for short time working, you need to release the button intermittently for cooling after short time heating in case itself gets too hot.

*CNC02-Continuously-Working is able to trim the edges with minimum of smoke and no burned marks.

*CNC02-Continuously-Working is lighter ,only 610g, easier to handle, while CNC01 is 950g.

*CNC02-Continuously-Working is available for high point temperature adjustment, 16 sections of temp to set. So you don't need to let the blades going up to 500C degrees each time you use it, you may only set the lower temperature(for example about 300C degrees) only if it's high enough for you to trim interlayer remains, so you can prolong the life time of the blades, and save cost.

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365 www_cncGlass_com www_cncEVA_com

Edges Cleaning hot knife for SGP PVB laminated safety glass Hand operated tool for cutting small quantities, for short-time operation only. To cut and seal synthetic fiber products, such as ropes, bands, belts and fabric. Fitted with cutting foot, the combined tool is especially effective for cutting synthetic fabric without cutting surface. Controlling heating by switching the toll on and off

Peter Lin, cnc@cncGlass.com, cnc@cncEVA.com Whatsapp: 0086 15013829504, WeChat: WeCan365

Hot Knife Electric Rope Cutter Cautions Always operate the Hot Knife in well ventilated space. Never burn off the excess residue on the Hot Knife blade. The blades will over heated and be warped. Only operate Hot Knife when it is in contact with the insulation board Keep hot blades away from skin, clothing and other flammable materials. Allow blades to cool before handling. Hot Knife may cause injury or burns to exposed surfaces. If the temperature inside the tool is too high, the unit will get hot and the internal thermal protectors will turn it off, after it cool, the Hot Knife will operate again.

thermal cutter, hot price, heating cutter, heating knife, heating trimmer for eva pto sgp lamination. Ceter Lin, cnc@cncGlass.com, Cheter Lin, cnc@cncGlass.com, Ceter Lin, cncGlass.com, Ceter Lin, cncGlass.com,